



RIDLEY

BARASTOC

ESSENTIAL FEEDS

**PULLET
GROWER**

COMPLETE & BALANCED
CRUMBLE



WHAT WILL IT PROVIDE MY PULLETS?

Feed provides the right balance of protein, energy and phosphorus to help pullets transition from immature birds into strong healthy adult laying birds.

Contains an anti-coccidial as an aid in the prevention of coccidiosis, an intestinal infection caused by the Eimeria parasite which young birds are vulnerable to.


Presented as a small crumble which is suitable for smaller beaks.

BARASTOC

ESSENTIAL FEEDS

PULLET GROWER

COMPLETE & BALANCED CRUMBLE



NUTRIENT LEVELS

TYPICAL ANALYSIS AS FED PER KG

NUTRIENT LEVELS			
Min Crude Protein	15.5%	Min Calcium	1.0%
Min Crude Fat	2.5%	Min Available Phos	0.5%
Max Crude Fibre	6.0%	Min Added Copper	8.0mg
Max Added Salt	0.5%	Min Added Selenium	0.3mg
		Bovatec® 20CC (Lasalocid Sodium)	80mg



WHAT'S IN IT?

INGREDIENTS SELECTED FROM THE FOLLOWING: Cereal grains and their By-products, Legumes and their By-products, Vegetable Protein Meals, Fats and Oils, Calcium Carbonate, Mono-Di Calcium Phosphate, Ridley Vitamin and Mineral Pre-mix, Essential Amino Acids and Enzymes, & the Anticoccidial Bovatec® 20CC.



PROUDLY MADE IN AUSTRALIA
USING INGREDIENTS SOURCED
FROM AUSTRALIAN FARMERS.

EXPECTED DAILY FEED INTAKE

95g per bird per day.

FEEDING GUIDE

- Ensure birds have continuous access to feed – do not restrict consumption.
- Self-feeders designed for poultry are a good way to ensure feed is continuously available.
- Ensure that birds have access to clean, fresh water at all times.
- Follow any other feeding instructions given to you by your livestock provider.

This feed has been formulated specifically for animals as described on the package, or the label attached to the package, and must not be used for other species of animals.
ANIMAL FOODSTUFF. UNSUITABLE FOR HUMAN CONSUMPTION.

This product does not contain Restricted Animal Material.

CONTAINS MEDICATION: Contains 80mg/kg Lasalocid Sodium (as Bovatec® 20CC Lasalocid Sodium Premix) as an aid in the prevention of coccidiosis caused by Eimeria sp in layer replacement chicks and pullets. Bovatec® 20CC Lasalocid Sodium Premix is a registered trademark of Zoetis Inc.

WARNING: Bovatec® 20CC Lasalocid Sodium Premix is not registered for use in laying hens (chickens or turkeys). DO NOT feed to horses or other equids. DO NOT feed to dogs.

WITHHOLDING PERIOD: Meat – nil. Broilers and replacement Pullets: DO NOT USE in broilers or replacement pullets less than 3 days before slaughter for human consumption. Eggs – DO NOT use in laying hens within 14 days of laying where eggs or egg products are to be used for human consumption. In this instance introduce a Barastoc layer feed 2 weeks prior to the point of lay.

The information provided in this specification is exclusive to the product identified and is accurate at the time of writing. The manufacturer accepts no responsibility if this feed is used in quantities, conditions or in any way other than in accordance with the manufacturer's recommendations.

STORAGE INSTRUCTIONS

For optimum quality and shelf life, product should be stored below 30°C and off the floor in a cool, dry, well ventilated area protected from direct sunlight.



SCAN THE QR CODE
to visit the Barastoc Chook Book,
a comprehensive guide on rearing,
feeding and keeping poultry.



we put the chicken before the egg